



Food Program Official Inspection Report

Siskiyou County Community Development Department
Environmental Health Division
806 S. Main Street
Yreka, California 96097
phone: (530) 841-2100, fax: (530) 841-4076

Facility Name:		Multi Site Management, LLC		Permit #		000357	
Address:		735 N Main St, Yreka CA 96097					
Permit Holder:		Multi Site Management, LLC		Permit To Operate:		<input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid	
Phone:		530-842-6539		E-mail:		832@porters.us.com	
Food Safety Certified Employee:		N/A		Expiration Date:			
		MAJ		OUT		COS	
		The marked items represent Health Code violations and must be corrected as follows:					
Protection Time/ Temp.	1	Food Temp.				<p>FOLLOW-UP INSPECTION CONDUCTED ON THIS DATE</p> <p>The following follow-up observations were made today in regards to rodent issue noted on 1/14/2025 complaint inspection report:</p> <p>25, 29) Observed no active/live rodents in the facility, although staff observed a live rodent last week. Observed rodent droppings behind deli and cold beverage reach-in refrigerators. Observed rodent droppings on the floors and inside numerous boxes of foods around the ice machine area. Observed gnawed creamers and straws in ground coffee boxes, on the sides and below ice machine. Dispose all gnawed foods immediately.</p> <p>Wash, clean, and sanitize all shelves, floors and hard to reach places within 7 days. Obtain professional pest service within 7 days. A REINSPECTION WILL BE CONDUCTED WITHIN 10 DAYS.</p> <p>29) 2ND NOTICE - Observed rodent droppings on the floors and hard to reach places in the detached shed. Maintain facility in a clean manner. Clean and sanitize within 14 days.</p> <p>29) 4TH NOTICE - Observed water pooling on the floors around the ice machine area. Observed a crack between the floor and wall in this area. Observed duct tape to temporary seal the crack. Maintain floors to be smooth, easily cleanable, durable, nonabsorbent. Ensure baseboards extend at least 4" at the junction of the floor and wall with a 3/8" radius coved at the base. Repair or replace within 90 days.</p> <p>A REINSPECTION FEE ASSESSED FOR NON-COMPLIANCE. A REINSPECTION FEE WILL BE ASSESSED TO REPEAT NON-COMPLIANCE.</p>	
	2	Prep./ Service					
	3	Storage/ Disp.					
	4	Frozen Food					
	5	Pure Food					
	6	Reused Food					
	7	Transportation					
Food Storage	8	Storage Fac.					
	9	Refrig. Units					
	10	Thermometer					
	11	Hazardous Mat.					
	12	Spoils					
Uten./Equip.	13	Wash/ Sanitize					
	14	Equip. Condition					
	15	Utensil Condition					
	16	Storage					
Employee	17	Handwashing					
	18	Employee Hygiene					
	19	Employee Habits					
	20	Food Cert./ Card					
Water	21	Water					
	22	Cross Con.					
Waste	23	Liquid Waste					
	24	Refuse					
Vermis	25	Rodents/ Insects		X			
	26	Animal/ Fowl					
Facilities	27	Ventilation					
	28	Doors					
	29	Floors		X			
	30	Walls - Ceilings					
	31	Toilet Fac.					
	32	Janitorial Fac.					
	33	Lighting					
Misc.	34	Clothing - Linen					
	35	Signs					
	36	Misc.					
MAJ = Major violation		OUT = Out of compliance		COS = Corrected on-site			
Received By (Print):		Rochelle Wight		Received by (Signature):		Date: 02/04/2025	
REHS (Print):		Chalyn Dewey		REHS (Signature):		Phone: 530-841-2112	

Facility Name: Multi Site Management, LLC

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rochelle Wight	Received by (Signature):	Date: 02/04/2025
--	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: Multi Site Management, LLC

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rochelle Wight	Received by (Signature):	Date: 02/04/2025
--	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: Multi Site Management, LLC

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rochelle Wight	Received by (Signature):	Date: 02/04/2025
--	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------