Food Program Official Inspection Report



Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

Facility	Na	me: Shastina I	Mini I	Mart		Permit # 000423			
Addres	SS:	20506 Big Spr	ings	Rd, \	Wee	d CA 96094			
Permit	Hol	der: Steve and	Sher	ri Ro	ck	Permit To Operate: X Valid Not Valid			
Phone		530-938-2825				E-mail: steverock183@yahoo.com			
Food S	Safe	ty Certified Employ	/ee:	lerica	Ra				
		600 0	-	OUT		The marked items represent Health Code violations and must be corrected as follows:			
102 4	1	Food Temp.	IVIAU	001	003	·			
emp	2000	Prep./ Service				ROUTINE INSPECTION CONDUCTED ON THIS DATE			
e/ T		Storage/ Disp.				Follow-up inspection addressing the issue of rodent droppings.			
Tim	4	Frozen Food							
tion	5	Pure Food				25) 3RD NOTICE: Observed rodent droppings on food storage shelving. Conduct rode control measures and deep clean all surfaces with rodent droppings in the facility. Correct immediately.			
otec	6	Reused Food							
Protection Time/ Temp. Facilities Vermin Waste Water Employee Uten./Equip. Food Storage Protection Time/ Temp.	7	Transportation		3		Correct immediately.			
	8	Storage Fac.				30) 2ND NOTICE: Observed a gap at the bottom of front entrance door and ceiling in			
rage	9	Refrig. Units	100 30			the food storage area. The holes are potential access for the harborage of rodents.			
Sto	10	Thermometer				Repair ASAP			
poo	11	Hazardous Mat.				REINSPECTION FEE WILL BE ASSESSED ON NON-COMPLIANCE TO REPEATED			
Ľ.	12	Spoils				VIOLATION.			
Ď.	Total Tota	Wash/ Sanitize				VIOLATION.			
Employee Uten./Equip.	14	Equip. Condition							
en./	15	Utensil Condition							
Uter	16	Storage							
Φ	27.7	Handwashing							
loye	18	Employee Hygiene		3					
dw	19	Employee Habits							
	20	Food Cert./ Card							
ater	21	Water							
M	_	Cross Con.							
aste		Liquid Waste							
	24	Refuse		201. 15					
rmin	100000	Rodents/ Insects		X					
Ve	26	Animal/ Fowl		3					
		Ventilation							
es	3 3	Doors	Н						
ciliti		Floors							
Fa		Walls - Ceilings		X					
		Toilet Fac.	Н						
		Janitorial Fac.							
		Lighting							
Misc.	100	Clothing - Linen							
	Chica A	Signs							
MA.I =		Misc. or violation (UT =	Out	of con	apliance COS = Corrected on-site			
					. 5011	Received by (Signature): Date: 2/27/2025			
REHS (Print	t):				27 15 CONTRACTOR (CO. 1)			
REHS (Print): Alexa Roche REHS (Signature): REHS (Signature): Phone: 530-841-2117									

Facility Name:	Shastina Mini Mart	
	The marked items represent Health Code violations and must be corrected as follows:	
×		
Received By (Print):	Received by (Signature): Date:	
Jer	rica Ransom REHS (Signature): Phone	2/27/2025

530-841-2117

Alexa Roche

Facility Name:	Shastina Mini Mart	
	The marked items represent Health Code violations and must be corrected as follows:	
	S	
Received By (Print):	Received by (Signature): Date:	
		2/27/2025
REHS (Print):	REHS (Signature): Phone	

530-841-2117

Alexa Roche

Facility Name:	Shastina Mini Mart	
	The marked items represent Health Code violations and must be corrected as follows	:
×		
	,	
Received By (Print):	Received by (Signature):	Date:
Jeri	ica Ransom	2/27/2025
REHS (Print):	120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 - 120 -	Phone:

530-841-2117

Alexa Roche