



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: The Wine Bar and Bistro				Permit # 000465	
Address: 314 S Broadway Yreka CA 96097					
Permit Holder: Sunshine Betts				Permit To Operate: ☒ Valid ☐ Not Valid	
Phone: 530-905-0063		E-mail: winebarandbistro21@gmail.com			
Food Safety Certified Employee: Sunshine Betts				Expiration Date: 08/2027	

		MAJ	OUT	COS	
Protection Time/ Temp.	1 Food Temp.				The marked items represent Health Code violations and must be corrected as follows: ROUTINE INSPECTION CONDUCTED THIS DATE 14) Observed black slimy mold buildup inside the ice machine (ie ice damper, pipe behind water pump, etc). Prevent cross contaminating ice by maintaining equipment in clean manner at all times. Discontinue use, dispose all ice, and wash, clean, and sanitizer ice cabinet and accessories according to manufacturer instructions. Correct immediately. Note: An electric convection oven (2 Cadco Lisa model XAF013) exemption has been approved for use without an mechanical exhaust hood. Facility is required to maintain equipment according to manufacturer specification, operate equipment according to what was approved and with the menu list that was submitted to the health department on 01/2025. During the inspection, it is observed a case of raw Starwalker Ground Beef stored in the reach-in freezer. The current menu is different than what was originally approved. Facility is not approved to cook raw protein or it is equipped to handle grease laden vapors from cooking raw protein. Per exemption form signed by owner, it states "Failure to adhere to the above listed conditions will void this approval and require that plans be submitted for the installation of a mechanical exhaust hood.". Discontinue cooking raw protein (ie meatballs) immediately and removed from menu until new items and equipment used has been evaluated.
	2 Prep./ Service				
	3 Storage/ Disp.				
	4 Frozen Food				
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				
	9 Refrig. Units				
	10 Thermometer				
	11 Hazardous Mat.				
	12 Spoils				
Uten./Equip.	13 Wash/ Sanitize				
	14 Equip. Condition		X		
	15 Utensil Condition				
Employee	16 Storage				
	17 Handwashing				
	18 Employee Hygiene				
	19 Employee Habits				
Water	20 Food Cert./ Card				
	21 Water				
Waste	22 Cross Con.				
	23 Liquid Waste				
Vermis	24 Refuse				
	25 Rodents/ Insects				
Facilities	26 Animal/ Fowl				
	27 Ventilation				
	28 Doors				
	29 Floors				
	30 Walls - Ceilings				
	31 Toilet Fac.				
	32 Janitorial Fac.				
Misc.	33 Lighting				
	34 Clothing - Linen				
	35 Signs				
	36 Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Debbie Cowley	Received by (Signature): _____ Date: 03/25/2025
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: The Wine Bar and Bistro

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Debbie Cowley	Received by (Signature):	Date: 03/25/2025
---------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: The Wine Bar and Bistro

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Debbie Cowley	Received by (Signature):	Date: 03/25/2025
---------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: The Wine Bar and Bistro

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Debbie Cowley	Received by (Signature):	Date: 03/25/2025
---------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------