



Food Program Official Inspection Report

Siskiyou County Community Development Department
Environmental Health Division
806 S. Main Street
Yreka, California 96097
phone: (530) 841-2100, fax: (530) 841-4076

Facility Name:		Mt. Shasta Ski Park - Lower Level			Permit #		000353		
Address:		104 Siskiyou Ave. Mt. Shasta, CA							
Permit Holder:		Merlot Family Trust			Permit To Operate:		☒ Valid ☐ Not Valid		
Phone:		530-926-8610			E-mail:		adamcrazymadchef@gmail.com		
Food Safety Certified Employee:		Morgan Collins			Expiration Date:		01/2030		
		MAJ		OUT		COS		The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1	Food Temp.		X		ROUTINE INSPECTION CONDUCTED ON THIS DATE <u>Mud Creek Espresso</u> 1) Observed 51F prepackaged salads at reach-in coolers. Observed sandwiches at 49F. Hold cold foods at 41F or colder. Voluntarily discarded. 10) Observed no thermometer to measure ambient temperature inside unit of cooler mentioned above. Obtain a temperature measuring device and ensure it is installed at the warmest location of unit (front, top shelf). Correct immediately. 25) Observed rodent droppings on the floor in the food storage area. Wash, clean, and sanitize immediately. 28) Observed a gap on the bottom of the door sufficient in size for rodent, dust, and other contaminants to enter. Install weather stripping or the like within 90 days. <u>Coyote</u> 13) Observed 100ppm chlorine at dishwasher. Maintain concentration at 50ppm. 14) Observed water dripping from the dishwasher and into a food container to collect waste water. Maintain equipment in good repair and fully serviceable. Repair or correct within 90 days. <u>Powder Hound Dry Storage Area</u> 25) Observed rodent droppings on the floor in the dry food storage area. Wash, clean, and sanitize immediately. 28) Observed a gap on the bottom of the roll-up door sufficient in size for rodent, dust, and other contaminants to enter. Ensure facility is completely enclosed and rodent proof to prevent cross contamination and harborage of rodents. Repair or correct within 90 days. 29) Observed beverage syrup buildup on the floor. Maintain facility in a clean manner at all times.			
	2	Prep./ Service							
	3	Storage/ Disp.							
	4	Frozen Food							
	5	Pure Food							
	6	Reused Food							
	7	Transportation							
Food Storage	8	Storage Fac.							
	9	Refrig. Units							
	10	Thermometer		X					
	11	Hazardous Mat.							
Uten./Equip.	12	Spoils							
	13	Wash/ Sanitize		X					
	14	Equip. Condition		X					
	15	Utensil Condition							
Employee	16	Storage							
	17	Handwashing							
	18	Employee Hygiene							
	19	Employee Habits							
Water	20	Food Cert./ Card							
	21	Water							
Waste	22	Cross Con.							
	23	Liquid Waste							
Vermin	24	Refuse							
	25	Rodents/ Insects		X					
Facilities	26	Animal/ Fowl							
	27	Ventilation							
	28	Doors		X					
	29	Floors		X					
	30	Walls - Ceilings							
	31	Toilet Fac.							
	32	Janitorial Fac.							
Misc.	33	Lighting							
	34	Clothing - Linen							
	35	Signs							
	36	Misc.							

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site

Received By (Print):		Received by (Signature):		Date:	
Lance Armstrong				04/11/2025	
REHS (Print):		REHS (Signature):		Phone:	
Chalyn Dewey				530-841-2112	

Facility Name: Mt. Shasta Ski Park - Lower Level

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Lance Armstrong

Received by (Signature):

Date:
04/11/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Mt. Shasta Ski Park - Lower Level

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Lance Armstrong	Received by (Signature):	Date: 04/11/2025
---	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

Facility Name: Mt. Shasta Ski Park - Lower Level

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Lance Armstrong

Received by (Signature):

Date:
04/11/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112