



# Food Program Official Inspection Report

Siskiyou County Community Development Department  
Environmental Health Division  
806 S. Main Street  
Yreka, California 96097  
phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Fairchild Medical Center</b>				Permit # <b>000230</b>	
Address: <b>444 Bruce St. Yreka, CA 96097</b>					
Permit Holder: <b>Fairchild Medical Center</b>				Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid	
Phone: <b>530-842-8121 ext 6213</b>		E-mail: <b>tpotter@fairchildmed.org</b>			
Food Safety Certified Employee: <b>Terrina L. Potter</b>				Expiration Date: <b>09/2029</b>	

  

		MAJ	OUT	COS	
Protection Time/ Temp.	1 Food Temp.				<p>The marked items represent Health Code violations and must be corrected as follows:</p> <p style="text-align: center;"><b>ROUTINE INSPECTION CONDUCTED THIS DATE</b></p> <p>13) Observed greater than 400ppm chlorine sanitizer is working spray bottle located in the warewashing area. Maintain chlorine sanitizer at 100ppm. Utilize test strips to measure concentration before long term storage in spray bottle and as needed.</p> <p>13) <u>2nd Notice</u>- Observed no chlorine sanitizer test strips. Obtain test strips ASAP.</p> <p>30) <u>2nd Notice</u> - Observed paint chipping from the walls in between the handwashing and dishwasher airdry drain board and dry food storage area (inside wall opposite from door hinge). <u>1st Notice</u> - Observed paint peeling off wall at produce wash station. Observed wall damaged behind meat slicer equipment.</p> <p>Ensure walls are refinished to be easily cleanable, smooth, durable, and nonabsorbent. Repair or correct within 90 days.</p> <p>*****Future non-compliance to repeat violations will result in reinspection fees, an administrative hearing, and/or potential permit revocation.</p>
	2 Prep./ Service				
	3 Storage/ Disp.				
	4 Frozen Food				
	5 Pure Food				
	6 Reused Food				
	7 Transportation				
Food Storage	8 Storage Fac.				
	9 Refrig. Units				
	10 Thermometer				
	11 Hazardous Mat.				
	12 Spoils				
Uten./Equip.	13 Wash/ Sanitize		X		
	14 Equip. Condition				
	15 Utensil Condition				
	16 Storage				
Employee	17 Handwashing				
	18 Employee Hygiene				
	19 Employee Habits				
	20 Food Cert./ Card				
Water	21 Water				
	22 Cross Con.				
Waste	23 Liquid Waste				
	24 Refuse				
Vermin	25 Rodents/ Insects				
	26 Animal/ Fowl				
Facilities	27 Ventilation				
	28 Doors				
	29 Floors				
	30 Walls - Ceilings		X		
	31 Toilet Fac.				
	32 Janitorial Fac.				
	33 Lighting				
Misc.	34 Clothing - Linen				
	35 Signs				
	36 Misc.				

  

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Rich Cirelli</b>	Received by (Signature): _____ Date: <b>04/28/2025</b>
REHS (Print): <b>Chalyn Dewey</b>	REHS (Signature): _____ Phone: <b>530-841-2112</b>

**Facility Name:** Fairchild Medical Center

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rich Cirelli	Received by (Signature):	Date: 04/28/2025
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** Fairchild Medical Center

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rich Cirelli	Received by (Signature):	Date: 04/28/2025
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------

**Facility Name:** Fairchild Medical Center

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Rich Cirelli	Received by (Signature):	Date: 04/28/2025
--------------------------------------	--------------------------	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
-------------------------------	-------------------	------------------------