



Food Program Official Inspection Report

Siskiyou County Community Development Department
Environmental Health Division
806 S. Main Street
Yreka, California 96097
phone: (530) 841-2100, fax: (530) 841-4076

Facility Name:		Railroad Park Restaurant			Permit #		000382			
Address:		100 Railroad Park Rd., Dunsmuir, CA, 96025								
Permit Holder:		Railroad Park Inc.			Permit To Operate:		<input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid			
Phone:		206-743-6766		E-mail:		aaron@railroadparkresort.com				
Food Safety Certified Employee:		Beri Gorsuch			Expiration Date:		01/2027			
		MAJ		OUT		COS		The marked items represent Health Code violations and must be corrected as follows:		
Protection Time/ Temp.	1	Food Temp.				<p>OPENING INSPECTION CONDUCTED THIS DATE</p> <p>This facility started a remodel in Jan 2025 and finished May 2025</p> <p>This facility is approved to open with the following conditions: Remove morels Deep clean hood filter/screens. Paint touch ups on the bare wood in the dry food storage area and server station. Remove construction dust and debris hard to reach places of the kitchen. Remove all packing tape in the walk in cooler before use. Submit oven exemption and keep copy on-site. Wash and santize all commercial equipment in the kitchen.</p>				
	2	Prep./ Service								
	3	Storage/ Disp.								
	Food Storage	4	Frozen Food							
		5	Pure Food							
		6	Reused Food							
		7	Transportation							
8		Storage Fac.								
Food Storage	9	Refrig. Units								
	10	Thermometer								
	11	Hazardous Mat.								
	12	Spoils								
Uten./Equip.	13	Wash/ Sanitize								
	14	Equip. Condition								
	15	Utensil Condition								
	16	Storage								
Employee	17	Handwashing								
	18	Employee Hygiene								
	19	Employee Habits								
	20	Food Cert./ Card								
Water	21	Water								
	22	Cross Con.								
Waste	23	Liquid Waste								
	24	Refuse								
Vermin	25	Rodents/ Insects								
	26	Animal/ Fowl								
Facilities	27	Ventilation								
	28	Doors								
	29	Floors								
	30	Walls - Ceilings								
	31	Toilet Fac.								
	32	Janitorial Fac.								
	33	Lighting								
Misc.	34	Clothing - Linen								
	35	Signs								
	36	Misc.								
MAJ = Major violation		OUT = Out of compliance		COS = Corrected on-site						
Received By (Print):		Beri Gorsuch			Received by (Signature):		Date: 5/7/2025			
REHS (Print):		Alexa Roche			REHS (Signature):		Phone: 530-841-2117			

Facility Name: Railroad Park Restaurant

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Beri Gorsuch	Received by (Signature):	Date: 5/7/2025
--------------------------------------	--------------------------	-------------------

REHS (Print): Alexa Roche	REHS (Signature):	Phone: 530-841-2117
------------------------------	-------------------	------------------------

Facility Name: Railroad Park Restaurant

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Beri Gorsuch	Received by (Signature):	Date: 5/7/2025
--------------------------------------	--------------------------	-------------------

REHS (Print): Alexa Roche	REHS (Signature):	Phone: 530-841-2117
------------------------------	-------------------	------------------------

Facility Name: Railroad Park Restaurant

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Beri Gorsuch	Received by (Signature):	Date: 5/7/2025
--------------------------------------	--------------------------	-------------------

REHS (Print): Alexa Roche	REHS (Signature):	Phone: 530-841-2117
------------------------------	-------------------	------------------------