

Food Program Official Inspection Report

Siskiyou County Community Development Department Environmental Health Division 806 S. Main Street Yreka, California 96097

phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: White Mountain Cafe Permit # 000481									
Address: 243 Main St., McCloud, CA 96057									
Permit		der:	2 - 1000			t To Operate:			
Traci 's Cafe LLC									
Phone: 360-531-4910 E-mail: tracishirley17@gmail.com									
Food S	Food Safety Certified Employee: Expiration Date:								
		:	MAJ O	UT COS	The marked items represent Health Code violations and must be corre	cted as follows:			
Protection Time/ Temp.	1	Food Temp.			RE-OPENING INSPECTION CONDUCTED THIS	DATE			
	2	Prep./ Service			RE-OF ENTING THAT ECTION CONDUCTED THIS	JAIL			
	3	Storage/ Disp.			This facility is approved to open with the following conditions:				
	4	Frozen Food							
tion	5	Pure Food			Refinish the wood countertops in the coffee bar area to address th				
Protec	6	Reused Food			wood. It must be smooth, durable, non-asorbent and cleanable.				
	7	Transportation			wood. It must be officedly, durable, nem decision and distinguished.				
Θ	8	Storage Fac.			Remove debris and sanitize the soda storage cabients.				
orag	9	Refrig. Units							
Food Storage	10	Thermometer			Handwashing facilities in the bathrooms must provide warm water within 15 secon with a minimum temperature of reaching 100 F.				
F00	come	Hazardous Mat.			With a minimum temperature of reasoning 100 1.				
SCHOOL STATE	12	Spoils			Discontinue use of ice machine until it has been washed, rinsed, a	and sanitized			
di G	, seattle and	Wash/ Sanitize			according to manufacturer instructions.				
Uten./Equip.		Equip. Condition			Wash and santize walls in the kitchen.				
Jten		Utensil Condition			Wash and samile wans in the kitchen.				
ר		Storage			Deep clean filter/screens, stainless steal walls and flooring in the l	nood area.			
99	- 17	Handwashing			10 - SOLAN - Considerate of the Consideration of th				
Employee		Employee Hygiene			The grease buildup on the exterior hood system must be cleaned immediately to ens- compliance with the California Retail Food Code.				
Emi		Employee Habits		-					
-	7	Food Cert./ Card Water			Remove dirt and debris in the hard to reach places on the floor.				
Water		Cross Con.			Trome to district and debute in the flare to reach places on the floor.				
N V		Liquid Waste			Obtain Food Manager Certification within the next 60 days. Install a self-closing device and sweeper on the restroom doors.				
Waste		Refuse							
		Rodents/ Insects		-					
Vermin	100000	Animal/ Fowl			Address/repair the gap in the door that leads to the outside of the bu	ilding. These doors			
		Ventilation			should close and seal to prevent potential insect and rodent access to the facility.	s to the facility.			
"	Annual Control	Doors				ancies with			
Facilities	29	Floors			Obtain any necessary permits and licenses from all regulatory agencies with jurisidictional oversight of this failicty.				
Faci	30	Walls - Ceilings			,				
5555	31	Toilet Fac.							
	32	Janitorial Fac.							
	33	Lighting							
c.	34	Clothing - Linen							
	35	Signs							
		Misc.							
	MAJ = Major violation OUT = Out of compliance COS = Corrected on-site								
Received By (Print): Received by (Signature): Traci White Received by (Signature): 5/9/2025									
REHS (Print	Alexa Roche)		REHS (Signature): Phone	530-841-2112			

Facility Name:	White Mountain Cafe	
	The marked items represent Health Code violations and must be corrected as follows:	
*		
Received By (Print):	Received by (Signature): Date:	
Tra	aci White	5/9/2025
REHS (Print):	REHS (Signature): Phone	COLUMN SOCIAL SECUCIONISTA SECUCIONA

530-841-2112

Alexa Roche

Facility Name:	White Mountain Cafe	
	The marked items represent Health Code violations and must be corrected as follows:	
	•	
Received By (Print):	Received by (Signature): Date:	
		5/9/2025
REHS (Print):	REHS (Signature):	ALTO ALCO ALCO ACCOME

530-841-2112

Alexa Roche

Facility Name:	White Mountain Cafe	
	The marked items represent Health Code violations and must be corrected as for	ollows:
×		
Descrived Dr. (Drint)	Received by (Signature):	Data:
1,000,000	ci White	Date: 5/9/2025
REHS (Print): Alexa Ro	REHS (Signature):	Phone: 530-841-2112