



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Ellie's Espresso</b>	Permit # <b>000220</b>
Address: <b>79 S Weed Blvd, Weed CA 96094</b>	
Permit Holder: <b>Robert West</b>	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <b>530-925-3675</b>	E-mail: <b>rbwestjr68@gmail.com</b>
Food Safety Certified Employee: <b>Coriama Nungaray</b>	Expiration Date: <b>02/2030</b>

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.		X	
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./Equip.	13	Wash/ Sanitize		X	
	14	Equip. Condition		X	
	15	Utensil Condition			
	16	Storage			
Employee	17	Handwashing		X	
	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card			
Water	21	Water			
	22	Cross Con.			
Waste	23	Liquid Waste			
	24	Refuse			
Vermin	25	Rodents/ Insects		X	
	26	Animal/ Fowl			
Facilities	27	Ventilation			
	28	Doors			
	29	Floors		X	
	30	Walls - Ceilings		X	
	31	Toilet Fac.		X	
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

**FOLLOW-UP RE-INSPECTION CONDUCTED ON THIS DATE**

14) Observed the buildup of food debris in the reach-in refrigerator and freezers throughout the facility. Maintain all equipment in a serviceable and cleanable condition. Clean and sanitize as soon as possible.

14) 2ND NOTICE: Observed bare wood shelving throughout the entire facility. Ensure these surfaces to be smooth, durable, nonabsorbent, and easily cleanable. Repair or replace within the next 30 days.

8, 13,14) 2ND NOTICE: Observed buildup of food debris on the storage and shelving equipment in the both food preparation areas. Repair bare wood, then wash and sanitize equipment as manufacturer specifications are stated. Correct immediately.

29,30) 2ND NOTICE: observed excessive build of dirt, dust and food debris throughout the entire facility and hard to reach places. Maintain facility is in a cleanable state. Correct immediately.

29) Observed tears and damages to the linoleum of the floors in the kitchen area. Ensure floors are serviceable, cleanable, and nonabsorbent. Repair within 60 days.

25) 2ND NOTICE: Observed rodent droppings throughout the food facility. Continue to conduct rodent control measures and maintain all surfaces, including hard-to-reach places are clean in a manner to prevent harborage of rodents. Deep clean and remove all evidence of rodent droppings in the food facility. Correct immediately..

17,31) Observed 1 out 2 bathrooms without water will be closed until repairs have been made. Correct within the next 14 days.

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Bob West</b>	Received by (Signature): _____ Date: <b>9/3/2025</b>
REHS (Print): <b>Alexa Roche</b>	REHS (Signature): _____ Phone: <b>530-841-2117</b>

**Facility Name:** Ellie's Espresso

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
**Bob West**

Received by (Signature):

Date:  
**9/3/2025**

REHS (Print):  
**Alexa Roche**

REHS (Signature):

Phone:  
**530-841-2117**

**Facility Name:** Ellie's Espresso

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Rob West

Received by (Signature):

Date:  
9/3/2025

REHS (Print):  
Alexa Roche

REHS (Signature):

Phone:  
530-841-2117

**Facility Name:** Ellie's Espresso

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
**Rob West**

Received by (Signature):

Date:  
**9/3/2025**

REHS (Print):  
**Alexa Roche**

REHS (Signature):

Phone:  
**530-841-2117**