



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Josefina's Taqueria	Permit # 000774
Address: 1009 S Main St., Yreka, CA 96097	
Permit Holder: Erick Felix	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: 530-643-8095	E-mail: josefinastaqueriaca@gmail.com
Food Safety Certified Employee: Josefina Arredondo	Expiration Date: 06/2029

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/ Temp.	1	Food Temp.			<p style="text-align: center; margin-top: 0;">ROUTINE INSPECTION CONDUCTED THIS DATE</p> <p>3) Observed raw chicken, beef, or eggs stored next to fully cooked/ready-to-eat (RTE) food in the reach-in refrigerators and freezer. Store raw eggs below RTE food, on separate shelf, or arranged where cross contamination is prevented. Corrected onsite.</p> <p>3) Observed employees food stored in between facility food in the reach-in refrigerator and freezer. Prevent contaminating food by storing employee's food separate from facility food. Corrected during inspection.</p> <p>13) Observed chlorine (Cl) concentration between 10ppm-50ppm in sanibucket at front service station. Maintain Cl sanitizer solution of 100ppm. Utilize test strips to measure concentration before use and as needed. Corrected during inspection.</p> <p>14) Observed damaged door gasket at double-door reach-in refrigerator. Maintain equipment in good repair and fully serviceable. Repair or correct within 90 days.</p> <p>14) Observed food build-up in numerous door gaskets of holding equipment door handles. Maintain facility in a cleanly manner at all times. Wash and clean according to manufacturer's instruction immediately.</p> <p>20) Observe employee (Eric Felix) without food handler card (FHC). Ensure all employees that handles food obtain FHC within 30 days of hire. Obtain card AND maintain a copy of certificate onsite.</p> <p>29) Observed baseboard missing on the floor at the warewashing and clean utensil storage area. Ensure baseboard are installed with a minimum 3/8" coved at the juncture of the floor and wall and extend up the wall at least 4in. Repair or correct within 90 days.</p>	
	2	Prep./ Service				
	3	Storage/ Disp.		X		X
	4	Frozen Food				
	5	Pure Food				
	6	Reused Food				
	7	Transportation				
Food Storage	8	Storage Fac.				
	9	Refrig. Units				
	10	Thermometer				
	11	Hazardous Mat.				
	12	Spoils				
Uten./Equip.	13	Wash/ Sanitize		X		X
	14	Equip. Condition		X		
	15	Utensil Condition				
	16	Storage				
Employee	17	Handwashing				
	18	Employee Hygiene				
	19	Employee Habits				
	20	Food Cert./ Card		X		
Water	21	Water				
	22	Cross Con.				
Waste	23	Liquid Waste				
	24	Refuse				
Vermin	25	Rodents/ Insects				
	26	Animal/ Fowl				
Facilities	27	Ventilation				
	28	Doors				
	29	Floors		X		
	30	Walls - Ceilings				
	31	Toilet Fac.				
	32	Janitorial Fac.				
	33	Lighting				
Misc.	34	Clothing - Linen				
	35	Signs				
	36	Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Eric Felix	Received by (Signature): _____ Date: 10/01/2025
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: Josefina's Taqueria

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Eric Felix

Received by (Signature):

Date:
10/01/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Josefina's Taqueria

The marked items represent Health Code violations and must be corrected as follows:

(This area is currently blank, intended for listing health code violations and their corrections.)

Received By (Print): Eric Felix	Received by (Signature):	Date: 10/01/2025
---	--------------------------	----------------------------

REHS (Print): Chalyn Dewey	REHS (Signature):	Phone: 530-841-2112
--------------------------------------	-------------------	-------------------------------

Facility Name: Josefina's Taqueria

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print): Eric Felix	Received by (Signature): Eric Felix	Date: 10/01/2025
------------------------------------	--	---------------------

REHS (Print): Chalyn Dewey	REHS (Signature): Chalyn Dewey	Phone: 530-841-2112
-------------------------------	-----------------------------------	------------------------