



### Food Program Official Inspection Report

Siskiyou County Community Development Department  
 Environmental Health Division  
 806 S. Main Street  
 Yreka, California 96097  
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: <b>Yreka Liquor Land</b>	Permit # <b>000494</b>
Address: <b>100 Montague Rd, Yreka CA 96097</b>	
Permit Holder: <b>Gurjit Atwal</b>	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: <b>530-842-5600</b>	E-mail: <b>store@yrekaliquorland.com</b>
Food Safety Certified Employee: <b>N/A</b>	Expiration Date:

		MAJ	OUT	COS	
					The marked items represent Health Code violations and must be corrected as follows:
Protection Time/ Temp.	1	Food Temp.			
	2	Prep./ Service			
	3	Storage/ Disp.			
	4	Frozen Food			
	5	Pure Food			
	6	Reused Food			
	7	Transportation			
Food Storage	8	Storage Fac.			
	9	Refrig. Units			
	10	Thermometer			
	11	Hazardous Mat.			
	12	Spoils			
Uten./Equip.	13	Wash/ Sanitize		X	
	14	Equip. Condition			
	15	Utensil Condition			
	16	Storage			
Employee	17	Handwashing			
	18	Employee Hygiene			
	19	Employee Habits			
	20	Food Cert./ Card			
Water	21	Water			
	22	Cross Con.			
Waste	23	Liquid Waste			
	24	Refuse			
Vermin	25	Rodents/ Insects			
	26	Animal/ Fowl			
Facilities	27	Ventilation			
	28	Doors			
	29	Floors			
	30	Walls - Ceilings			
	31	Toilet Fac.		X	
	32	Janitorial Fac.			
	33	Lighting			
Misc.	34	Clothing - Linen			
	35	Signs			
	36	Misc.			

**ROUTINE INSPECTION CONDUCTED THIS DATE**

13) Observed facility is using hand sanitizer to sanitize equipment and door handles. Hand sanitizer is not an approve disinfectant for surfaces. Utilize chlorine or quaternary ammonium chloride (QAC) sanitizer to disinfect surfaces. Proper disinfectant of chlorine is 100ppm and 200ppm for QAC. Correct ASAP.

13) Observed no test strips onsite. Obtain test strips to measure allowable disinfectant level immediately.

31) Observed no toilet paper or empty toilet dispenser in the restroom. Maintain toilet paper in dispenser at all times. Correct ASAP.

MAJ = Major violation    OUT = Out of compliance    COS = Corrected on-site	
Received By (Print): <b>Rahul Gill</b>	Received by (Signature): _____
	Date: <b>10/01/2025</b>
REHS (Print): <b>Chalyn Dewey</b>	REHS (Signature): _____
	Phone: <b>530-841-2112</b>

**Facility Name:** Yreka Liquor Land

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Rahul Gill

Received by (Signature):

Date:  
10/01/2025

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** Yreka Liquor Land

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Rahul Gill

Received by (Signature):

Date:  
10/01/2025

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112

**Facility Name:** Yreka Liquor Land

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):  
Rahul Gill

Received by (Signature):

Date:  
10/01/2025

REHS (Print):  
Chalyn Dewey

REHS (Signature):

Phone:  
530-841-2112