



Food Program Official Inspection Report

Siskiyou County Community Development Department
 Environmental Health Division
 806 S. Main Street
 Yreka, California 96097
 phone: (530) 841-2100, fax: (530) 841-4076

Facility Name: Punjabi Dhaba	Permit # 000965
Address: 787 Montague Rd., Yreka CA 96097	
Permit Holder: Sucha & Harjinder Brar	Permit To Operate: <input checked="" type="checkbox"/> Valid <input type="checkbox"/> Not Valid
Phone: 530-291-1910	E-mail: yrekatruckstop@gmail.com
Food Safety Certified Employee:	Expiration Date:

		MAJ	OUT	COS		
					The marked items represent Health Code violations and must be corrected as follows:	
Protection Time/Temp.	1	Food Temp.			<p style="text-align: center;">FOLLOW-UP INSPECTION CONDUCTED ON THIS DATE</p> <p>Today inspection is follow-up on non-compliance noted on previous inspection report. The following are observations noted:</p> <p>Facility has repaired or corrected handwash facility.</p> <p>2) 2nd Notice- Observed a small pot of yogurt that was processed by the facility stored in the walk-in cooler and mango lassi yogurt in self-service cooler. Operator states they purchased commercial yogurt, and then added milk to form its mixture and desired texture. As stated on previous report, processing yogurt or milk products requires a Milk Product Plant License with the state CDFA department. <u>Cease production of all yogurt products until a permit is obtained.</u> All yogurts were voluntarily discarded.</p> <p>14) 2nd Notice- Observed a new Beverage-Air prep cooler, large glass double-door reach-in cooler, and Ninja blender installed without pre-approval. Ensure all equipment are pre-approved by this department prior to installation. Discontinue use and submit equipment manufacturer spec sheets to this department for approval ASAP. Email: cdewey@co.siskiyou.ca.us</p> <p>14) 5th Notice - Observed the non-ANSI certified ROVSUN food warmer still in use after numerous written documentation since 2024 to discontinue use. <u>Discontinue use and remove equipment immediately.</u> If equipment is replaced, again, submit manufacturer spec sheet to this department prior to installation. Email: cdewey@co.siskiyou.ca.us</p> <p>20) 4th Notice: Facility does not have a food safety manager certificate or unable to present certificate when requested during inspection. Per CRFC 113947.6, a facility that operates without a food manager certificate is punishable by a fine of \$100 each day of operation in violation. A change of ownership for this facility occurred one year ago. The fine will be implemented. Obtain food manager certificate ASAP and/or maintain a copy onsite and easily accessible (ie at front cashier or posted on wall) when requested during inspection.</p> <p><u>A random follow-up inspection will be conducted to observe non-compliance is abated. A reinspection fee is assessed for non-compliance and repeat violations. Future non-compliance will result in additional reinspection fees, administrative hearing, and potential permit revocation.</u></p> <p>Note: Continue to work on non-compliance noted on previous report.</p>	
	2	Prep./ Service		X		X
	3	Storage/ Disp.				
	4	Frozen Food				
	5	Pure Food				
	6	Reused Food				
	7	Transportation				
Food Storage	8	Storage Fac.				
	9	Refrig. Units				
	10	Thermometer				
	11	Hazardous Mat.				
	12	Spoils				
Uten./Equip.	13	Wash/ Sanitize				
	14	Equip. Condition		X		
	15	Utensil Condition				
Employee	16	Storage				
	17	Handwashing				
	18	Employee Hygiene				
	19	Employee Habits				
Water	20	Food Cert./ Card		X		
	21	Water				
Waste	22	Cross Con.				
	23	Liquid Waste				
Vermin	24	Refuse				
	25	Rodents/ Insects				
Facilities	26	Animal/ Fowl				
	27	Ventilation				
	28	Doors				
	29	Floors				
	30	Walls - Ceilings				
	31	Toilet Fac.				
	32	Janitorial Fac.				
Misc.	33	Lighting				
	34	Clothing - Linen				
	35	Signs				
	36	Misc.				

MAJ = Major violation OUT = Out of compliance COS = Corrected on-site	
Received By (Print): Julhar Singh	Received by (Signature): _____ Date: 11/13/2025
REHS (Print): Chalyn Dewey	REHS (Signature): _____ Phone: 530-841-2112

Facility Name: Punjabi Dhaba

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Julhar Singh

Received by (Signature):

Date:
11/13/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Punjabi Dhaba

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Julhar Singh

Received by (Signature):

Date:
11/13/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112

Facility Name: Punjabi Dhaba

The marked items represent Health Code violations and must be corrected as follows:

Received By (Print):
Julhar Singh

Received by (Signature):

Date:
11/13/2025

REHS (Print):
Chalyn Dewey

REHS (Signature):

Phone:
530-841-2112